





OEX[®] STARTER

INNOVATION



ONE UNIT MULTIPLE APPLICATIONS


Part No.
ASND5023
To suit Toyota
HiLux/HiAce



Part No.
DXS555
To suit Toyota
Prado



Part No. DXS575
To suit Toyota HiLux/
HiAce & Prado



The Toyota D4D 3.0L engine is widely used but surprisingly doesn't always share common parts. The Prado and HiLux/HiAce starter motors are largely the same, the only difference being the switch terminal (50 terminal) location and design.

The OEX DXS575 offers a new and unique switch terminal, giving the option of installing a single unit to either vehicle without the need for unreliable adaptors. With this new innovation OEX offers one unit with multiple applications.


OEX



DXS575

Specifications

Voltage	12V
Suits Unit Make	Denso
Starter Mount Type	2 Hole
Rotation	CW
Flange Diameter	82mm
Mount Centres A	130mm
Mount Hole Diameter	M12/14mm
Number of Teeth	10
Overall Length	240mm
Pinion at Rest	18mm
Pinion Diameter	38mm
Power Rating	2.2kW
Wet/Dry Clutch	Dry



Part No. DXS575

To suit **Toyota HiLux** KUN26# 3.0L 1KD-FTV DOHC 16v turbo diesel direct inj 4 cyl cab chassis/pick-up 4WD,

Toyota LandCruiser Prado 3.0L 1KD-FTV DOHC 16v turbo diesel direct inj 4 cyl wagon 4WD,

Toyota HiAce KDH201# LWB 3.0L 1KD-FTV DOHC 16v turbo diesel direct inj 4 cyl van RWD.